

T6N

R 4E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N° VI North of the Base Line, Range N° IV East of the 2nd Meridian. Surveyed by A. Henric - 1814.

Description of the Soil on the interior Sectional lines.

Between sections	Quality &c.	Between sections	Quality &c.	Between sections	Quality &c.
33.36	Land level - Timber Beech, Ash, Oak & Hickory	33.36	Land level covered with water - Tim. Gum, Oak, Ash & Hickory	31.32	Land level - Timber Beech, Ash, Oak & Hickory
25.36	ditto	27.34	ditto	29.32	ditto
25.26	Land level covered with water - Timber Oak, Gum &c.	27.28	ditto	29.30	ditto
24.25	ditto	22.27	ditto	20.29	ditto
23.24	ditto	21.22	ditto	19.20	ditto
13.24	ditto	15.22	ditto	17.20	ditto
13.14	ditto	15.16	ditto	17.18	ditto
12.13	ditto	10.15	ditto	8.17	ditto
11.12	Land level - Timber Oak, Beech, Ash, Maple, Gum &c.	9.10	Land rolling - Timber Same	7.5	Land level - Timber Beech, Ash, Oak & Maple
1.12	Land more hilly	10.3	ditto	5.8	ditto
1.2	Land rolling - Timber Beech, Ash, Oak & Hickory	3.4	Land hilly thin soil - Tim. Oak & Hickory - Many the Same	5.6	ditto
34.35	Land level - Timber Same	32.32	Land level wet - Tim. Maple, Gum, Oak & Hickory	6.7	Land rolling - Timber Beech, Sugar &c.
35.26	ditto	28.33	ditto	7.18	ditto
26.27	ditto	28.29	Land hilly - Timber Oak & Hickory	18.19	ditto
23.26	ditto	21.25	ditto	19.30	Land hilly thin soil - Timber Oak & Hickory
22.23	Land level very wet - Timber Ash, Elm, Maple &c.	20.21	ditto	30.31	ditto
14.23	ditto	16.21	ditto		
14.15	ditto	16.17	ditto		
14.14	ditto	9.16	ditto		
10.11	ditto	8.9	ditto thin soil		
2.11	ditto	4.9	ditto		
2.3	Land hilly - Timber Same	4.5	ditto		

Township N. 6 North, Range N. 4 East 2nd Mer.

Range line	Var. 6.30'	
North Between Ranges 185. Township 6 North		29.00 N. Brook 75 lks West
On the East Side of Sec. 36		40.00 gr. Sec. corner Beech 30 S 35 N 31
40.00 gr. Sec. corner on the N.W. side of River		Buckberry 24 S 35 E 29
Beech 20 N 11 E 24		80.00 Set post corner of Sec. 12 1813
do 20 N 75 E 19		N. Ash 8 N 30 W 8
80.00 Set post corner of Sec. 25 1835		Lime 8 N 59 E 15
Walnut 12 S 60 W 14		Sand level. Beech, Oak & Hickory
Elm 12 N 75 W 12		North On the East Side of Sec. 18 12
North On the East Side of Sec. 25		23.00 A. Brook 30 lks East
40.00 gr. Sec. corner N. Oak 15 S 36 W 15		35.00 Same Brook S.W.
Hickory 8 S 74 W 6		40.00 gr. Sec. corner Beech 20 S 40 W 37
80.00 Set post corner to Sec. 24 1825		Elm 20 S 85 E 46
Hickory 20 S 11 E 16		43.50 N. Brook 30 lks East
Elm 9 S 72 W 14		79.00 Same Brook S.W.
Sand level. Oak, Hickory, Elm, Ash &c.		80.00 Set post corner of Sec. 18 12
North On the East Side of Sec. 24		Beech 20 S 88 W 18
40.00 gr. Sec. corner Beech 12 S 9 E 22		Decomposed 6 S 60 W 11
Hickory 12 N 9 E 10		Sand & timber same
80.00 Set post corner to Sec. 13 1824		
Elm 15 S 17 W 15		North On E. Side of Sec. 12.
do 8 S 79 W 15		14.50 a Creek 75 lks. wide at S.W.
Sand flat very brushy. Elm, Ash &c.		40.00 Set gr. post from which
North On the East Side of Sec. 13		Maple 18. South 11 old
40.00 A. Beech 12 in. diam?		N. Oak 10 N 56 E 29
40.00 gr. Sec. corner N. Oak 30 S 27 E 6		80.00 Set post cor. to Sec. 18 12
Lime 15 N 45 E 19		Beech 22 S 26 E 44 lks
47.10 A. Sweet Gum 24 in. diam?		B. Oak 20 S 24 W 34 "
80.00 Set post corner to Sec. 12 1813		Land of lat. Timber Elm Ash &c.
N. Oak 20 S 42 E 7		North On E. Side of Sec. 1.
Elm 8 S 65 W 23		40.00 Set 1/4 post. N. Oak 40 S 10 E 16 1814
Sand the same very wet		Softwood 6 N 16 W 10 "
North On the East Side of Sec. 12		59.64 Set post on Indian boundary
40.30 N. W. Oak 20 in. diam?		Beech 6 N 78 W 10 old
24.50 N. Brook 18 lks West		do 20 S 82 E 23
		Apr. 25, 1814.
		76.80 Set post for cor. to Line 617 N. Russell
		Beech 10 N 77 E 30 x
		do 20 S 66 W 10 "

East	Random line on Township 6	80.00	Set post corner of Sec. 35 & 36
40.00	Temporary gr. Sec. post		Elm 10 S 81 E 39
72.00	N. Brooks 12th South		N. Oak 8 S 20 E 20
80.00	Temporary mile post		Land Rich Wood. Walnut. Ash. Elm. Spruce. Fir.
	Land of St. Cath. Parish	West	On the South Side of Sec. 35
East	Random line continued	4.00	To N. D. Walnut corner on the River bank
40.00	Temporary gr. Sec. post	23.00	Set post on the N. W. side of the Bend
50.00	Temporary mile post		Locust 20 S 68 E 17
	Land of St. Cath. Parish		Red. Oak 8 S 44 W 11
East	Random line continued	40.00	gr. Sec. corner
40.00	Temporary gr. Sec. post		on the River bank } Spruce 10 S 87 E 16
80.00	Temporary mile post		Lettemwood 12 S 13 E 5
East	Random line continued	45.54	To a Beech on the opposite side of River
40.00	Temporary gr. Sec. post		10 inches diam.
80.00	Temporary mile post	43.33	Set post on the River bank S. E. side
East	Random line continued		Spruce 20 South 10
40.00	Temporary gr. Sec. post		do 20 North 7
80.00	Temporary mile post	69.00	Set post on the N. W. side of the River
	Land level. Road. Oak. Hickory &c.		N. Oak 20 S 5 W 19
East	Random line continued		Sugar 12 S 38 E 12
17.50	To White River	80.00	Set post of corner of Sec. 35 & 36
40.00	Temporary gr. Sec. post		Sugar 8 S 61 E 10
47.50	To White River		Beech 10 S 56 W 16
80.00	On an offset towards the South	West	on the South side of Sec. 34
East	Random line continued	40.00	gr. Sec. corner
40.00	On an offset towards the South		Hickory 15 S 42 W 19
86.00	Intersected N. D. line at the River corner		Elm 8 S 32 E 5
	True line	80.00	Set post corner to Sec. 33 & 34
West	Between Towns 5 & 6 Range 4 East South side of Sec. 36		Hickory 10 S 26 W 5
16.00	To a large 2 chains wide		do 10 S 50 E 14
40.00	gr. Sec. corner	West	on the South side of Sec. 33
	Hickory 7 S 87 E 5	40.00	gr. Sec. corner
	Hickory 12 S 28 W 43		Maple 10 S 15 W 10
45.65	Set post on the River bank		Elm 12 S 43 E 21
	Spruce 20 S 39 W 17	80.00	Set post corner to Sec. 32 & 33
	Elm 19 S 49 W 11		Hickory 12 S 58 E 12
50.03	Set post on the N. W. side of River		No other trees noted
	Maple 8 S 54 E 8		
	N. Oak 10 S 46 W 3		

West	On the South side of Sec. 32	Subdivisions of Township 6 S. R. 4 East	
40.00	gr. Sec. corner	North	Between Sec. 35 & 36
	Gum 10 S 79 E 4	22.00	N. Donk 200 lbs wide
	B. Oak 24 S 87 W 15	40.00	gr. Sec. corner
80.00	Set post corner of Sec. 31 & 32		Maple 20 S 5 W 42
	Beech 10 S 47 W 15		do 24 S 57 W 27
	B. Oak 30 S 75 W 14	80.00	Set post corner of Sec. 25, 26, 35, 36
West	On the South side of Sec. 31		Beech 8 S 66 E 47
40.00	gr. Sec. corner		Ironwood 8 S 12 W 14
	Hickory 10 S 32 E 12		Land level. Beech. Ash. Oak. Hickory &c.
	Beech 10 S 38 E 9	East	Between Sec. 25 & 36 On Random
86.29	To Township corner on Resurvey made	40.00	Temporary gr. Sec. post
	Surveyed by Arthur Henrie D. S.	80.00	Intersected N. D. line 10th North of Sec. corner
			Land of St. Cath. Parish
		West	Corrected
		40.00	gr. Sec. corner
			Hickory 8 S 19 E 11
			Elm 7 S 14 E 7
		80.00	Section corner
		North	Between Sec. 25 & 26
		40.00	gr. Sec. corner
			Hickory 12 S 13 E 14
			do 18 S 60 W 11
		80.00	Set post corner of Sec. 23, 24, 25, 26
			Hickory 10 S 4 E 27
			do 8 S 11 E 9
			Land level. covered with water. Ash. Gum &c.
		East	Between Sec. 24 & 25 On Random
		40.00	Temporary gr. Sec. post
		80.00	Intersected N. D. line at Sec. corner
			Land of St. Cath. Parish
		West	Corrected
		40.04	gr. Sec. corner
			Gum 12 S 81 W 15
			do 18 East 18
		80.08	Section corner
		North	Between Sec. 23 & 24
		38.50	N. W. Oak 40 in. diam.
		40.00	gr. Sec. corner
			Hickory 10 S 10 E 28
			do 10 S 75 E 6

76.00 H. Brook 100 lbs S. W.
 80.00 Set post corner of Sec. 13, 14, 23, 24
 W. Oak 20 S 20 W 15
 Gum 10 S 65 W 22
 Land & timber as before
 East Between Sec. 13 & 24 On Wandone
 24.00 H. Brook 100 lbs S. W.
 40.00 Temporary q. Sec. post
 80.31 Intersected N & S line 90 lbs South of Sec. corner
 Land & timber Same
 West corrected
 40.15 q. Sec. corner Beech 10 S 52 E 24
 W. Oak 10 S 20 W 9
 80.31 Section corner
 North Between Sec. 13 & 14
 35.00 H. W. Oak 20 in. diam.
 40.00 q. Sec. corner Maple 7 S 8 E 17
 do 5 S 50 W 6
 80.00 Set post corner of Sec. 11, 12, 13, 14
 Hickory 8 S 8 W 18
 Maple 18 S 3 E 20
 Land the same
 East Between Sec. 12 & 13 On Wandone
 23.00 H. Brook 20 lbs S. E.
 40.00 Temporary q. Sec. post
 60.00 H. Brook 100 lbs S. W.
 80.40 Intersected N & S line 1.98 lbs South of corner
 Land the same
 West corrected
 40.20 q. Sec. corner Beech 8 S 21 W 22
 W. Oak 10 S 28 E 23
 80.40 Section corner
 North Between Sec. 11 & 12
 40.00 q. Sec. corner Hickory 12 S 2 E 17
 do 12 S 6 E 12

80.00 Set post corner of Sec. 1, 2, 11, 12
 W. Oak 12 S 49 W 18
 Beech 12 S 7 E 12
 Land loc. Oak, Beech, Ash, Maple, Gum.
 East Between Sec. 1 & 12 On Wandone
 40.00 Temporary q. Sec. post
 43.50 H. Brook 20 lbs South
 80.06 Intersected N & S line 258 lbs South of corner
 West corrected
 40.03 q. Sec. corner Beech 7 S 48 W 17
 do 7 S 58 W 22
 80.06 Section corner
 North Between Sec. 1 & 2
 40.00 q. Sec. corner Poplar 5 S 8 E 24
 W. Oak 18 S 16 E 19
 80.00 Set post corner on N boundary 8, 23 lbs
 East of Sec. corner Beech 12 S 20 W 14
 April 17th 1824 do 12 S 40 E 5
 Land Rolling, Beech, Ash, Oak & Hickory
 North Between Sec. 34 & 35
 40.00 q. Sec. corner Beech 10 S 31 W 22
 Ironwood 8 S 52 E 8
 80.00 Set post corner of Sec. 26, 27, 34, 35
 Beech 12 S 10 E 49
 do 12 S 22 E 8
 Land loc. Beech, Ash, Oak & Hickory
 East Between Sec. 26 & 35 On Wandone
 40.00 Temporary q. Sec. post
 80.08 Intersected N & S line 12 lbs South of corner
 Land the same
 West corrected
 40.04 q. Sec. corner W. Oak 18 S 32 W 33
 Elm 12 S 50 E 12
 80.08 Section corner

North Between Sec. 26 & 27
 30.00 H. Brook 100 lbs S. W.
 40.00 On an offset to the East
 50.00 Same Brook S. E.
 80.00 Set post corner of Sec. 22, 23, 26, 27
 Hickory 20 in. corner tree
 Land & timber same this mile out Maple
 East Between Sec. 23 & 26 On Wandone
 40.00 Temporary q. Sec. post
 80.10 Intersected N & S line at the corner
 Land & timber same
 West corrected
 40.05 q. Sec. corner Hickory 10 S 10 E 7
 Beech 8 S 46 E 29
 80.10 Section corner
 North Between Sec. 22 & 23
 18.00 H. Brook 100 lbs S. W.
 40.00 q. Sec. corner Beech 8 S 4 E 29
 Sugar 10 S 54 E 3
 80.00 Set post corner of Sec. 14, 15, 22, 23
 Ash 10 S 48 E 17
 Maple 10 S 48 W 8
 Land very wet. Ash, Elm, Maple &
 East Between Sec. 14 & 23 On Wandone
 40.00 Temporary q. Sec. post
 80.00 Intersected N & S line 12 lbs S. of corner
 Land & timber same
 West corrected
 40.00 q. Sec. corner Maple 8 S 33 E 2
 do 8 S 15 W 4
 80.00 Section corner April 18th 1814
 North Between Sec. 14 & 15
 40.00 q. Sec. corner Beech 20 S 43 W 11
 do 8 S 45 E 15
 49.00 H. Brook 20 lbs S. E.

80.00 Set post corner of Sec. 10, 11, 14, 15
 Beech 8 S 21 E 28
 do 18 S 2 W 29
 Land & timber same
 East Between Sec. 11 & 14 On Wandone
 40.00 Temporary q. Sec. post
 80.12 Intersected N & S line at Sec. corner
 Land & timber same
 West corrected
 40.06 q. Sec. corner Beech 6 S 33 E 16
 do 7 S 48 E 10
 80.12 Section corner
 North Between Sec. 10 & 11
 40.00 q. Sec. corner W. Oak 6 S 6 W 15
 B. Oak 12 S 50 E 12
 80.00 Set post corner to Sec. 2, 3, 10, 11
 Hickory 4 S 25 W 9
 do 4 S 15 E 24
 Land & timber same
 East Between Sec. 2 & 11 On Wandone
 40.00 Temporary q. Sec. post
 80.08 Intersected N & S line 20 lbs South of corner
 Land & timber same
 West corrected
 45.04 q. Sec. corner Cherry 10 S 54 W 10
 Poplar 10 S 80 E 17
 80.08 Section corner
 North Between Sec. 2 & 3
 40.00 q. Sec. corner Beech 20 S 27 E 28
 do 18 S 24 W 25
 80.00 Set post corner of Sec. 20, 3, 8, 10 lbs East of
 post B. Oak 6 S 11 W 11
 Hickory 4 S 83 W 6
 Land Willg. Ash, Elm, Maple &

North Between Sec^s 33 & 34
 40.00 gr. Sec. Corner Beech 10 S 21 E 30
 do 8 S 52 E 25
 80.00 Set post corner of Sec^s 27, 28, 33, 34
 Beech 10 East 26
 Maple 13 N 15 E 12
 Land level covered with Water Gum, Oak, Hickory
 East Between Sec^s 27 & 34 On Random
 40.00 Temporary gr. Sec. post
 60.00 A. Brook 100 lbs South
 80.00 Intersected N & S line at Sec. corner
 Land & timber the same
 West Corrected
 40.00 gr. Sec. corner B. Oak 4 N 62 W 6
 do 5 S 45 E 10
 80.00 Section corner April 19th 1814
 North Between Sec^s 27 & 28
 40.00 gr. Sec. corner Maple 10 S 34 E 11
 Ash 8 S 74 E 14
 80.00 Set post corner of Sec^s 21, 22, 27, 28
 Beech 10 S 14 E 21
 Maple 12 S 64 E 6
 Land & timber same
 East Between Sec^s 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 75.00 A. Brook 100 lbs South
 80.10 Set section corner. Land the same & Met
 West Corrected
 40.05 gr. Sec. corner Beech 10 N 62 W 14
 do 12 S 57 W 8
 80.10 Section corner
 North Between Sec^s 21 & 22
 40.00 gr. Sec. corner Beech 12 S 27 E 18
 Maple 12 N 88 W 8
 45.50 A. M. Ash 12 in. diam.

73.00 A. Brook 12 lbs S. E.
 80.00 Set post corner to Sec^s 15, 16, 21, 22
 Beech 12 S 10 W 44
 do 10 S 30 E 25
 Land & timber same
 East Between Sec^s 15 & 22 On Random
 40.00 Temporary gr. Sec. post
 80.08 Intersected N & S line 18 lbs South of corner
 Land & timber same
 West Corrected
 40.00 gr. Sec. corner Maple 10 S 50 E 31
 do 10 N 17
 80.08 Section corner
 North Between Sec^s 15 & 16
 20.50 A. Brook 18 lbs S. E.
 25.00 A. Brook 25 lbs S. E.
 40.00 gr. Sec. corner Hickory 8 S 1 W 14
 do 10 S 71 E 20
 45.00 A. Brook 12 lbs S. W
 80.00 Set post corner to Sec^s 9, 10, 15, 16
 Sugar 12 S 88 E 5
 do 10 S 26 E 39
 Land & timber same
 East Between Sec^s 10 & 15 On Random
 40.00 Temporary gr. Sec. post
 49.88 Intersected N & S line 16 lbs S. of corner
 Land & timber same
 West Corrected
 39.74 gr. Sec. corner Hickory 12 N 22 E 21
 Beech 20 S 22 W 31
 49.88 Section corner
 North Between Sec^s 9 & 10
 40.00 gr. Sec. corner Sugar 6 S 8 E 15
 do 5 S 84 W 16

80.00 Set post corner of Sec^s 3, 4, 9, 10
 Beech 12 N 28 E 18
 B. Oak 20 S 50 E 50
 Land Rolling. Timber the same
 East Between Sec^s 3 & 10 On Random
 40.00 Temporary gr. Sec. post
 80.18 Intersected N & S line at Sec. corner
 Land & timber same
 West Corrected
 40.09 gr. Sec. corner Maple 18 N 88 W 31
 B. Oak 12 N 89 E 27
 80.18 Section corner
 North Between Sec^s 3 & 4
 40.00 gr. Sec. corner B. Oak 12 S 18 W 24
 Gum 8 S 80 E 16
 80.25 Set post on N. Boundary 8.15 lbs East
 of 3 mile post Beech 18 S 48 W
 Hickory 12 N 28 E 10
 Land level & Met. Maple, Gum, Oak & Hickory. April 20th 1814
 North Between Sec^s 32 & 33
 40.00 gr. Sec. corner Hickory 12 N 25 W 94
 Poplar 8 S 2 W 11
 80.00 Set post corner of Sec^s 28, 29, 32, 33
 Hickory 18 N 76 E 25
 Beech 8 S 70 E 17
 Land level & Met. Maple, Gum, Oak & Hickory
 East Between Sec^s 28 & 33 On Random
 40.00 Temporary gr. Sec. post
 80.08 Intersected N & S line at Sec. corner
 Land & timber same
 West Corrected
 40.04 gr. Sec. corner Hickory 12 N 40 W 18
 Beech 20 N 30 E 38
 80.08 Section corner

North Between Sec^s 28 & 29
 40.00 gr. Sec. corner Beech 12 N 20 E 20
 do 12 S 20 W 12
 80.00 Set post corner of Sec^s 20, 21, 28, 29
 Beech 12 N 52 W 25
 do 10 S 45 W 14
 Land level, Oak & Hickory
 East Between Sec^s 21 & 28 On Random
 40.00 Temporary gr. Sec. post
 49.84 Intersected N & S line 18 lbs South of corner
 Land & timber same
 West Corrected
 39.72 gr. Sec. corner Beech 12 N 27 W 35
 Poplar 6 S 11 E 21
 49.84 Section corner
 North Between Sec^s 20 & 21
 40.00 gr. Sec. corner B. Oak 12 S 18 E 10
 N. Oak 18 S 51 W 26
 80.00 Set post corner of Sec^s 16, 17, 20, 21
 B. Oak 8 N 10 W 6
 do 4 N 85 W 3
 Land & timber same
 East Between Sec^s 16 & 21 On Random
 40.00 Temporary gr. Sec. post
 44.00 A. Brook 20 lbs South
 80.18 Intersected N & S line 30 lbs South of Sec. corner
 Land & timber same
 West Corrected
 40.09 gr. Sec. corner Beech 12 N 78 E 21
 do 12 S 59 W 25
 80.18 Section corner
 North Between Sec^s 16 & 17
 15.00 A. Brook 10 lbs East
 40.00 gr. Sec. corner Hickory 8 S 36 E 17
 Beech 20 S 26 E 11

80.00 Set post corner of Sec. 8, 9, 16, 17
N. Oak 18 St 167 N 10
do 12 St 34 E 14

Land & timber same

East Between Sec. 9 & 16 On Random

40.00 Temporary gr. Sec. post

80.00 Intersected N & S line 32 lbs South of Sec. corner

Land & timber same

West Corrected

40.00 gr. Sec. corner B. Oak 4 St 86 E 27
do 20 St 74 N 25

80.00 Section corner

North Between Sec. 8 & 9

40.00 gr. Sec. corner N. Oak 20 St 44 N 16
do 12 St 21 E 8

80.00 Set post corner of Sec. 4, 5, 8, 9
N. Oak 30 St 40 N 45
do 20 St 10 E 32

Land the same time soil April 27th 1814

East Between Sec. 4 & 9 On Random

40.00 Temporary gr. Sec. post

80.10 Intersected N & S line 40 lbs South of Sec. corner

Land the same

West Corrected

40.05 gr. Sec. corner N. Oak 12 St 78 N 40
B. Oak 20 St 25 N 17

80.10 Section corner

North Between Sec. 4 & 5

36.00 A. Brook 20 lbs S. W

40.00 gr. Sec. corner Beech 10 St 4 N 18
do 12 St 4 E 48

80.00 Set post on North Boundary 7.48 lbs East of post
Poplar 8 St 6 N 6
Dogwood 4 St 3 N 25

Land the same

North Between Sec. 31 & 32

40.00 gr. Sec. corner Gum 20 St 27 N 17
Hickory 18 St 30 E 3

69.00 A. Brook 25 lbs S. E

80.00 Set post corner of Sec. 29, 30, 31, 32
Hickory 20 St 35 E 7
N. Oak 12 St 3 E 42

Land soil, Beech, N. Oak & Hickory

East Between Sec. 29 & 32

40.00 Temporary gr. Sec. post

80.22 Intersected N & S line at Sec. corner

Land & timber same

West Corrected

40.11 gr. Sec. corner Hickory 12 St 58 E 38
Dogwood 4 St 62 E 30

80.22 Section corner

North Between Sec. 29 & 30

26.00 A. N. Oak 24 in. diam?

40.00 gr. Sec. corner B. Oak 24 St 44 N 45
Hickory 12 St 76 N 39

80.00 Set post corner of Sec. 19, 20, 29, 30
Beech 18 St 5 E 10
N. Oak 20 St 58 N 16

Land & timber same. April 22nd 1814

East Between Sec. 20 & 29 On Random

40.00 Temporary gr. Sec. post

79.88 Intersected N & S line 12 lbs S. of Sec. corner

West Corrected

39.94 gr. Sec. corner N. Oak 12 St 52 N 34
do 20 St 75 E 25

79.88 Section corner

North Between Sec. 19 & 20

5.00 A. Brook 12 lbs S. W

40.00 gr. Sec. corner N. Oak 20 St 51 E 22
B. Oak 6 St 76 N 13

80.00 Set post corner of Sec. 17, 18, 19, 20
Dogwood 6 St 61 E 8
N. Oak 10 St 5 N 8

Land Billy time soil Oak & Hickory

East Between Sec. 17 & 20

40.00 Temporary gr. Sec. post

80.14 Intersected N & S line 20 lbs South of corner

Land & timber same

West Corrected

40.07 gr. Sec. corner B. Oak 10 St 4 E 9
do 8 St 88 N 19

80.14 Section corner

North Between Sec. 14 & 15

40.00 gr. Sec. corner Hickory 10 St 20 E 28
do 4 St 34 N 28

80.00 Set post corner of Sec. 7, 8, 17, 18
N. Oak 20 St 17 N 30
Beech 8 St 23 E 47

Land & timber same

East Between Sec. 8 & 17 On Random

40.00 Temporary gr. Sec. post

80.15 Intersected N & S line 10 lbs South of corner

Land & timber same

West Corrected

40.09 Set post gr. Sec. corner N. Oak 12 St 51 E 13
do 10 St 75 N 19

80.15 Section corner

North Between Sec. 7 & 8

40.00 gr. Sec. corner N. Oak 18 St 33 N 22
do 12 St 5 E 54

74.00 A. Brook 30 lbs S. W

80.00 Set post corner of Sec. 5, 6, 7, 8
Beech 10 St 23 E 1
do 8 St 15 N 24

Land soil, Beech, N. Oak & Poplar

East Between Sec. 5 & 8 On Random

38.00 A. Brook 20 lbs S. W

40.00 Temporary gr. Sec. post

80.00 Intersected N & S line 40 lbs South of Sec. corner

Land & timber same

West Corrected

40.00 gr. Sec. corner Beech 12 St 37 N 50
Beech 18 St 20 N 6

80.00 Section corner

North Between Sec. 5 & 6

40.00 gr. Sec. corner Beech 8 St 18 E 12
do 18 St 15 E 30

74.00 N. N. Oak 40 in. diam?

81.94 Set post on North Boundary 2.51 lbs East of post
Beech 18 St 30 E 9
do 24 St 36 N 43

Land the same April 23rd 1814

West Between Sec. 6 & 7

40.00 gr. Sec. corner Beech 20 St 25 N 5
do 10 St 24 E 24

42.00 A. Brook 12 lbs South

88.15 Set post on West Boundary 1.30 lbs South of corner
Beech 8 St 50 N 40
Beech 10 St 46 E 15

Land Polling, Beech, Sugar &c

West Between Sec. 7 & 18

39.00 A. Brook 30 lbs South

40.00 gr. Sec. corner Sugar 10 St 15 E 8
do 8 St 34 N 12

88.00 Set post on West Boundary 36 lbs S. of Sec. corner
Poplar 9 St 52 E 5
do 6 St 48 E 7

Land the same

West Between Sec. 18 & 19

2.00 A. N. Oak 12 in. diam?

40.00 q. Sec. Corner Hickory 7 N 34 E 33
do 10 S 73 N 18
80.00 A. Brook 12 lbs North
87.61 Set post on West Boundary 51 lbs North of Sec. Corner
Hickory 8 S 89 E 20
O. Oak 12 N 12 E 25

Land & timber the same

West Between Sec. 19 & 30

5.00 A. Brook 10 lbs South

40.00 q. Sec. Corner W. Oak 12 S 84 N 17
do 12 S 86 E 30

87.60 Set post on West Boundary 12 lbs North of Sec. Corner
D. Oak 10 S 75 E 22 + O. Oak 12 S 30 E 22.
Land & timber the same. Oak & Hickory

West Between Sec. 30 & 31

5.00 A. Brook 18 lbs South

40.00 q. Sec. Corner W. Oak 20 N 76 E 40
do 10 S 20 N 25

87.10 To Sec. corner on the West Boundary

Land & timber the same. Oak & Hickory

April 24th 1814

Surveyed by Arthur Dennis D. S.

Meander of River in Township 6
on the East Fork of White River. Town
post on Town line N. W. Side of River. Sec. 35
thence up River

Courses Distance

N 12 E 7.00

N 40 E 12.00

N 74 E 14.50

S 67 E 8.50

S 21 E 10.50

S 27 N 8.00 corner on Town line

~~S 87 N 4.00~~ From Sec. line N. E. corner of Sec. 2

~~S 82 E 8.00~~ N. E. corner

~~N 84 E 13.00~~ N. E. corner

From post on town line S. E. corner of Sec. 35

N 79 E 12.00

N 60 E 4.50 To Town line

~~S 82 E 8.00~~ From town line N. E. corner of Sec. 2

~~N 84 E 13.00~~ N. E. corner

From town line West side of River. Sec. 36 thence
up stream

N 10 N 29.00

N 40 E 6.50

N 69 E 7.50

S 73 E 6.50

S 61 E 14.50

S 78 E 13.50 To head of an island

N 48 E 7.00

N 11 E 8.00

N 31 E 5.00 corner on Range line

From town line S. E. side of river. Sec. 36 thence up stream

N 1 E 7.00

N 47 E 8.00

N 66 E 5.00

S 80 E 11.00

S 8 N 7.00

S 30 N 4.28

To corner on the Town line
courses up the river S. E. side continued
from the E. W. line. Sec. 36

N 10 E 23.00

N 25 E 5.50

S 52 E 11.00

S 81 E 15.20

S 53 E 2.50

To the head of the bay 8 E. 1/2 mile

do 6.00

Covered with drift wood

N 44 E 8.00

N 34 E 5.22

To corner on the East boundary

Surveyed by Arthur Dennis D. S.

Township N. 7 North, Range N. 4 East 2nd Mer.

Range line Var. 6° 30' E

North Between Ranges 4 & 5. Township 7 East

On the East Side of Sec. 36

9.55 A. Beech 24 in. diam.

10.00 gr. Sec. corner Poplar 9 ft 6 in N 18

do 7 ft 5 in E 18

65.77 A. Branch 8 lbs St. W

69.00 Same Branch S. E

80.00 Set post corner of Sec. 25 N 36

N. Oak 15 ft 5 in N 13

Ironwood 4 ft 4 in E 16

Knobs level. Beech & Oak Aug. 1st Branch 10 ft 10 in good soil

North on the East Side of Sec. 25

7.57 A. W. Oak 18 in. diam.

30.03 A. Hickory 15 in. diam.

40.00 gr. Sec. corner Beech 12 ft 4 in N 7

do 15 ft 5 in E 22

50.07 A. W. Oak 15 in. diam.

80.00 Set post corner of Sec. 24 N 25

Maple 18 ft 5 in N 8

N. Oak 48 ft 3 in E

Knobs level. Beech & Oak. Beech Hickory. Maple 5'

North on the East Side of Sec. 24

19.89 A. Beech 40 lbs S. E

25.07 A. W. Oak 20 in. diam.

40.00 A. Beech 30 lbs S. E. at gr. Sec. corner

Beech 9 ft 8 in N 16

do 9 ft 4 in E 30

47.07 A. W. Oak 18 in. diam.

80.00 Set post corner to Sec. 13 N 34

Logwood 6 ft 3 in N 6

N. Oak 13 ft 5 in E 3

Broken land. good soil. Beech. Oak 5'

Aug. 1st Spruce & Birch

this Range line was surveyed by

John McLean 25

North On the East Side of Sec. 13

37.35 A. Branch 8 lbs S. E

40.00 gr. Sec. corner Gum 18 ft 4 in N 4

Beech 8 ft 5 in E 12

45.02 A. W. Oak 15 in. diam.

77.40 A. Beech 12 in. diam.

80.00 Set post corner of Sec. 12 N 13

Beech 10 ft 3 in N 22

Poplar 9 ft 4 in E 22

First 1/2 mile broken. but a level good soil

Beech. Poplar. Oak 5'

North on the East Side of Sec. 12

15.26 A. Poplar 20 in. diam.

40.00 gr. Sec. corner Beech 22 ft 2 in N 33

Hickory 18 ft 5 in E 13

50.90 A. B. Oak 40 in. diam.

50.00 Set post corner of Sec. 11 N 12

Beech 12 ft 3 in N 12

do 14 ft 3 in E 23

Broken land. Beech. Log. Poplar. Aug. 1st Spruce

North on the East Side of Sec. 1

7.98 A. Beech 14 in. diam.

10.54 A. Beech 35 lbs S. W

15.22 Same Beech S. E

40.00 gr. Sec. corner Beech 9 ft 18 in E 5

do 6 ft 15 in E 15

65.05 A. Beech 15 in. diam.

70.40 A. Beech 50 lbs East

72.97 Same Beech S. W

74.63 Same Beech S. E

80.00 Set survey post corner of Township 7 N 8 in

Range 4 E & W. 78 in Range 5. Sec. 1. 31. 36

Oak 13 ft 4 in N 21

Hickory 6 ft 10 in E 6

East Beginning on the Boundary Between Ranges 4 & 5

22.56 Intersected N 7 E line Between Ranges 4 & 5. Sec. 1. 31. 36

N. Sec. 1. 31. 36

Township line March 25th 1811

East Between Ranges 4 & 5. Range 3. 24 East

On the South Side of Sec. 31

8.10 A. Beech 20 in. diam.

32.50 A. Beech 25 lbs S. W

40.00 gr. Sec. corner Logwood 5 ft 4 in E 21

do 4 ft 10 in E 16

50.00 Set post corner to Sec. 31 N 32

Beech 24 ft 3 in E 20

Gum 10 ft 3 in E 25

Land of a Milling quality. Oak. Beech 5'

East on the South Side of Sec. 32

12.00 A. Beech 15 in. diam.

35.50 A. Beech 50 lbs South

40.00 gr. Sec. corner Beech 11 ft 3 in N 24

Logwood 6 ft 16 in E 60

52.50 A. Beech 24 in. diam.

52.25 A. Beech 50 lbs S. W

80.00 Set post corner of Sec. 32 N 33

Gum 18 ft 0 in E 22

Poplar 24 ft 3 in N 49

Level Oak land 5'

East on the South Side of Sec. 33

21.00 A. Beech 8 lbs South

22.00 A. Beech 15 in. diam.

40.00 gr. Sec. corner Beech 14 ft 3 in E 27

do 17 ft 15 in E 36

50.00 A. Beech 30 lbs West

80.00 Set post corner of Sec. 33 N 34

Maple 5 ft 8 in N 7

N. Oak 20 ft 8 in E 45

Level poor Oak land 5'

East on the South Side of Sec. 34

2.00 A. W. Oak 25 in. diam.

26.50 A. Beech 12 lbs S. W

40.00 gr. Sec. corner Hickory 10 ft 4 in N 42

Gum 18 ft 3 in E 23

80.00 Set post corner of Sec. 34 N 35

Beech 11 ft 0 in E 26

N. Oak 9 ft 2 in E 30

Poor Oak land 5'

East on the South Side of Sec. 35

36.50 A. Hickory 16 in. diam.

40.00 gr. Sec. corner Hickory 8 ft 10 in N 8

B. Oak 10 ft 10 in N 25

78.00 A. W. Oak 24 in. diam.

80.00 Set post corner of Sec. 35 N 36

Beech 16 ft 4 in N 29

Poplar 4 ft 4 in N 30

Poor Broken land. Beech. Maple 5'

East on the South Side of Sec. 36

40.00 gr. Sec. corner Beech 12 ft 3 in N 15

Ash 13 ft 4 in E 17

64.50 To Boundary line Beech 12 ft 2 in E 14

do 11 ft 5 in E 6

Surveyed by Alex. Holmes D. S.